ORIGINAL by DRIZZLERS

METRC Batch:
METRC Sample:
Sample ID: 2807ENV9174_9044
Strain: ORIGINAL
Matrix: Concentrates & Extracts
Type: Distillate
Batch #: 0059023833

Collected: 08/05/2026
Received: 08/05/2026
Completed: 08/15/2026
Sample Size: 50 units;

Distributor
NUUG BAR - 1

Lic. #
Los Angeles, CA 90012

Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/15/2026	LC-DAD	Complete
Pesticides	08/15/2026	LC-MS	Pass
Pesticides - Extended List (Category 4)*	08/15/2026	LC-MS	Complete

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

82.284 %	0.287 %	87.949 %
Total THCa	Total CBD	Total Cannabinoids

Analytes	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.335	0.876	82.284	822.84
Δ9-THC	0.273	0.814	0.273	2.73
Δ8-THC	0.258	0.844	ND	ND
THCVa	0.270	0.825	ND	ND
THCV	0.277	0.844	0.431	4.31
CBDa	0.293	0.881	ND	ND
CBD	0.298	0.924	0.287	2.87
CBN	0.296	0.896	0.786	7.86
CBGa	0.304	0.922	ND	ND
CBG	0.288	0.872	3.532	35.32
CBCa	0.263	0.797	ND	ND
CBC	0.294	0.882	0.598	5.98
Total THC			**0.273**	**2.73**
Total CBD			**0.287**	**2.87**
Total Cannabinoids			**95.276**	**952.76**
Sum of Cannabinoids			**95.276**	**952.76**

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER

Kevin Nolan
Laboratory Director | 08/15/2026

ilac-MRA
PJLA Testing
ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

ORIGINAL by DRIZZLERS

METRC Batch:
METRC Sample:
Sample ID: 2807ENV9174_9044
Strain: ORIGINAL
Matrix: Concentrates & Extracts
Type: Distillate
Batch #: 0059023833

Collected: 08/05/2026
Received: 08/05/2026
Completed: 08/15/2026
Sample Size: 50 units;

Distributor
NUUG BAR - 1
Lic. #
Los Angeles, CA 90012

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	ND	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	ND	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	<LOQ	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 08/15/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Kevin Nolan
Laboratory Director | 08/15/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

ORIGINAL by DRIZZLERS

METRC Batch:
METRC Sample:
Sample ID: 2807ENV9174_9044
Strain: ORIGINAL
Matrix: Concentrates & Extracts
Type: Distillate
Batch #: 0059023833

Collected: 08/05/2026
Received: 08/05/2026
Completed: 08/15/2026
Sample Size: 50 units;

Distributor
NUUG BAR - 1
Lic. #
Los Angeles, CA 90012

Pesticides - Extended List (Category 4)*

Method: SOP CA_M-PEST_EXTENDED

Analytes	LOD	LOQ	Result
	µg/g	µg/g	µg/g
Allethrin	0.02	0.06	ND
Atrazine	0.009	0.026	ND
Benzovindiflupyr	0.019	0.057	ND
Buprofezin	0.006	0.019	ND
Clothianidin	0.019	0.058	ND
Cyantraniliprole	0.016	0.048	ND
Cyprodinil	0.004	0.012	ND
DCPA (Dacthal)	0.017	0.053	ND
Deltamethrin	0.043	0.131	ND
Dinotefuran	0.005	0.015	ND
Diuron (Karmex)	0.01	0.032	ND
Dodemorph 1 & 2	0.008	0.023	ND
Endosulfan I & II	0.013	0.04	ND
Endosulfan sulfate	0.031	0.092	ND
Fensulfothion	0.016	0.049	ND
Fenthion	0.01	0.032	ND
Fenvalerate	0.019	0.057	ND
Fluopyram	0.007	0.022	ND
2-phenylphenol	0.017	0.052	ND
Iprodione	0.024	0.073	ND
Kinoprene	0.129	0.39	ND
L-Cyhalothrin	0.031	0.093	ND
Methamidophos	0.007	0.021	ND
Methoprene	0.075	0.228	ND
MGK 264	0.012	0.036	ND
Novaluron	0.013	0.039	ND
Phenothrin	0.016	0.047	ND
Pirimicarb	0.011	0.035	ND
Propargite	0.009	0.028	ND
Propyzamide	0.013	0.039	ND
Pymetrozine	0.012	0.035	ND
Pyraclostrobin	0.006	0.017	ND
Pyrimethanil	0.011	0.034	ND
Pyriproxyfen	0.005	0.015	ND
Resmethrin	0.018	0.054	ND
Spirodiclofen	0.021	0.065	ND
Tebufenozide	0.007	0.022	ND
Teflubenzuron	0.015	0.046	ND
Tetrachlorvinphos	0.009	0.027	ND
Tetramethrin	0.009	0.028	ND
Thiabendazole	0.004	0.012	ND
Thiophanate-methyl	0.014	0.042	ND

Date Tested: 08/15/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.
*Beyond scope of accredidation

Kevin Nolan
Laboratory Director | 08/15/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.